



C.5.1.G.10

## **Town Planning Information Sheet 21**

### **RESIDENTIAL ZONE R 2.5 LOT 10 (PROPOSED LOTS 221 – 224) HASTIES ROAD, GELORUP**

As a prospective purchaser of a lot created by the subdivision of Lot 10 Hasties Road Gelorup you are advised of the following provisions of the Shire of Capel Town Planning Scheme, Local Laws, Regulations and Orders, which relate to the use and management of the land:

#### **PROVISIONS APPLICABLE TO ALL LOTS**

##### **Development Standards**

1. All lots are provided with a defined Building Envelope location of 1000m<sup>2</sup> (see attached endorsed Building Envelope Plan). This envelope shall contain the dwelling, outbuildings and associated residential infrastructure (water tanks, effluent disposal systems, swimming pools, etc.).
2. All Building Envelope locations are permanent and shifting of the envelopes is not permitted.
3. No clearing of vegetation shall occur within any lot that has not been issued with a Building Licence.
4. No clearing of the lot is permitted outside the Building Envelope other than for a driveway and firebreaks.
5. The vendor (estate developer) has undertaken tree planting throughout this subdivision to improve and enhance the visual amenity of the area and the habitat for native fauna (Western Ringtail Possum). Purchasers must allow the developer access to the new plantings for maintenance purposes for up to three years after the date of purchase. Purchasers must not undertake any activities which may have a detrimental effect on the new planting or existing native trees outside the building envelope.

##### **Land Use**

6. The land is zoned Residential with a coding R2.5. The following uses are permitted 'P' within the Residential Zone:
  - Single Dwelling
7. The following other uses are not permitted unless Council gives its approval in writing:
  - Home Occupation
  - Ancillary Accommodation

8. The following limits apply to the size and height of outbuildings (sheds) permitted in the Residential zone with a R2.5 coding:

<b>Zone</b>	<b>Max. Floor Area (m<sup>2</sup>) Reflective Cladding</b>	<b>Max. Total Floor Area (m<sup>2</sup>) Non-Reflective Cladding</b>	<b>Max. Wall Height (m)</b>	<b>Boundary Setbacks (m)</b>	<b>Other Requirements</b>
Residential R2.5	75	150	4.5	As for a Dwelling	Where a building envelope has been specified on a lot outbuildings shall be located therein.

### **Water Supply**

9. Prior to the occupation of any dwelling within this zone it shall be connected to a rain water storage tank with a minimum capacity of 92,000 litres.
10. The property is situated within the Bunbury Groundwater Area proclaimed under the Rights in Water and Irrigation Act.
11. A licence must be obtained from the Department of Water prior to commencing a bore or well. A licence when issued, would contain conditions including, but not limited to the following:
- The amount of groundwater that can be pumped annually;
  - The pump rate;
  - The purpose for which the groundwater may be used; and
  - The construction of the bore/well.

The issuing of well licences is not automatic, but subject to groundwater availability.

### **Onsite Effluent Disposal System**

12. A reticulated sewer system is not available. All dwellings must be provided with an approved onsite effluent disposal system.
13. All bores proposed onsite must be located at least 30 metres clear of all Septic Tanks and Leach Drains (including those on neighbouring properties).

### **Fire Control & Management**

14. This subdivision area is the subject of an approved Fire Management Plan. All land owners shall comply with the requirements of the enclosed Fire Management Plan.
15. A 20 metre wide low fuel zone is required to be maintained around all buildings. Low fuel means the removal of dead grass, dead trees, leaf litter and trash and the removal of dead branches to a height of 1.5 metres from live standing trees. Established and well maintained gardens are considered to be a low fuel zone.

16. A 3m wide firebreak is required inside and along all external boundaries of the land. All other grass remaining on the property is to be slashed to a maximum height of 100mm.
17. It is recommended that all domestic water supply tanks be fitted with a gate valve with 100mm female thread and fitted with a 75mm Storz coupling to enable brigade appliances to draw water. The installation of these fittings should be positioned at the base of the water in the tank. Access is to be available for emergency fire fighting purposes.
18. It is recommended that all buildings comply with Standards Australia AS 3959-1991 "Construction in Bush Fire Prone Areas" and guidelines contained in CSIRO/Standards of Australia information and advice booklet SAA HB 36-1993 – "Building in Bush Fire Prone Areas".

### **Fencing**

19. Boundary fencing is to consist of post and five strand wire. Fibrous cement, metal sheeting, wooden pickets or similar is not permitted.

### **Property Access**

20. Property driveway access points are to be located to the satisfaction of the Shire of Capel. Land owners are advised to contact the Technical Services Department at the Shire for approval of their driveway location. The location of the driveway access point will need to give careful regard to sight distance visibility limitations.

### **Western Ringtail Possum Management Plan**

21. This subdivision area is the subject of a Western Ringtail Possum Management Plan endorsed by the Department of Environment and Conservation (DEC). All land owners shall take note of their obligations with respect to this plan. Please contact the DEC or the Shire of Capel for further information.

### **ENQUIRIES**

Enquiries to the Planning Officers are invited to be made concerning the use and development of your land, either in person or by phone on 9727 0222. Email enquiries may be directed to [info@capel.wa.gov.au](mailto:info@capel.wa.gov.au).

**NOTE: THE PARTICULARS OF THIS BROCHURE ARE SUPPLIED FOR INFORMATION ONLY. VERIFICATION OF THE INFORMATION CONTAINED HEREIN IS RECOMMENDED.**

**ACKNOWLEDGEMENT**

I / We \_\_\_\_\_ being Purchaser of Lot \_\_\_\_\_  
within this subdivision, acknowledge that we have received a copy of the above advice  
and hereby agree to provide any successor in title with a copy of this advice and to  
seek their acknowledgment and undertaking to inform any further successors in title.


SIGNED: \_\_\_\_\_

DATE: \_\_\_\_\_

**Please sign the above acknowledgment and return a copy to the vendor.**

RECEIVED 19 OCT 2011

NOTE: ALL AREAS AND DIMENSIONS ARE APPROXIMATE AND ARE SUBJECT TO CADASTRAL SURVEY



SHIRE OF CAPEL  
**APPROVED BUILDING ENVELOPE PLAN**  
 Refer File Ref: **CS.I.G.10**  
*Amended* 15.10.11  
 Director  
 Planning & Development Services

**LEGEND**  
 BUILDING ENVELOPE  
 BUILDING ENVELOPE AREA  
 1000m²  
 234 LOT No.  
 6800m² LOT AREA

— Current Bdys  
 — Proposed Bdys  
 TOTAL AREA: 1.9316 ha  
 No. Current Lots: 1  
 No. Proposed Lots: 4 + 1x Road Widening

File No. 13172	Date: 28/Sep/2011	CLIENT: J. & S. MILLER
	Scale (@A3)	PROJECT: SUBDIVISION OF LOT 10 ON D. 75082, HASTIES ROAD, GELORUP
Vert: N/A	Checked: <i>MM</i>	TITLE: BUILDING ENVELOPE PLAN
Hor: 1:1000	Revision: 2	VERT: A.H.D.
Computer Reference: 13172ENV	Sheet 1 of 1	HOR: N/A
<p><b>COPYRIGHT</b>          This drawing is the property of THOMPSON SURVEYING CONSULTANTS and shall not be copied or reproduced in whole or in part, for any other purpose than was originally intended unless written consent is given by THOMPSON SURVEYING CONSULTANTS.</p>		
<p><b>BSI</b>          ISO 9001          FS 520415</p>		
<p><i>Innovative in Surveying</i>          Since 1952          Licensed Surveyors, Project Managers &amp; Engineering Surveyors          A.C.N. 008 938 903          ABN 59 166 330 334          Unit 6, 18 Casuarina Drive, Bumbury          PO Box 1719 BUNBURY WA 6231          Phone: (08) 9721 4000 Fax: (08) 9721 3270          eMail: info@thompsonsurveying.com.au</p>		
<p><b>Thompson</b>          surveying consultants</p>		